
# MODULA EUROPA

Reliable



A good placement







# Perfection is attained, not when no more can be added,

### but when no more can be **removed**.


(Antoine de Saint-Exupéry, Terre des Hommes)



MODULA




#### **Ergonomic Design & Reliability**



#### MODULA Europa – easy maintenance, high quality, functionality

MODULA Europa – our "best seller"designed for hospitals and clinics for many patients. The design of the unit reflects the optimal solution of ergonomic and practice oriented aspects, with the result of a tidy workplace. An extension up to 4 LED cold light sources, additional accessories as of automatic secretion system, hose cleaning devices etc., will meet any individual demand. The treatment unit MODULA Europe offers the optimal size for placing additional devices and spaces enough for



a number of sterile instruments. All drawers are equipped with with a self-closing mechanism, instruments can be stored up to three levels. Diagnostic microscope, swivel arm or TFT monitor can be also attached to the treatment unit. An upper shelf is also available, if required. Mobile instrument cabinets are also available, in different sizes but in the same design.

### **Equipment & Colors**

#### Standard equipment

- High quality electrolytic zincplated steel cabinet with soundproofing
- Extremely hard wearing with enamel finish with corrosion-resistant pretreatment
- Mobile on antistatic heavy duty castors
- Electronic control and indication panel: glass display with 7 different function keys, 2 manometers (compressed air and vacuum)
- Swiveling holder for water handpiece, suction hose, compressed air handpiece
- Holder for headlamp (not switchable)
- Integrated mirror heater

- 4 fully extendable, self-closing drawers
- Writing leaf
- 3 removable disinfection quivers for rigid endoscopes, autoclavable
- Instruments on 2 levels with stainless steel trays
- Built-in illumination for instrument levels
- Melamin tray for used instruments
- Waste bin, opening with foot pedal, self closing, low noise
- Transparent acrylic top cover, storable behind the unit after opening


#### Standard colors (antimicrobial coating with fine structure)



MODULA EUROPA

6

### Technical Details\*



\*(subject to modifications)

Power supply:	220 V
Frequency:	50/ 60 Hz
Current consumption:	max. 10 A
Power consumption:	max. 2,3 kVA
Classification:	lla
CE-Sign:	MEDCERT 0482
Protection class:	1
Degree of protection:	В
Compressed air (option):	12 L/min at 2700 RPM and 138 VA, 0,2 to 2,5 bar adjustable (option)
Powered suction (option):	Oil-free vacuum pump (150 VA): suction performance 40 l/min, 0 to -0,85 bar, sensor switch for suction hose, electronic and mechanical safety overflow system with antibacterial filter
Ear rinsing system (option):	+37° C +/-1° C, max. 500 ml/min, max. 1500 VA (long-term usage)
Autonomous ear rinsing system (option):	+37° C +/-1° C, max. 500 ml/min, max. 550 VA (long-term usage)
Watertank (option):	5 liter
Weight:	approx. 160 kg
Ambient temperature:	Temp. +15° C to +35° C

## Contact

G. Heinemann Medizintechnik GmbH Leibnizstraße 13-15 24568 Kaltenkirchen Germany Phone: +49 (0)4191 - 95379-0 Fax: +49 (0)4191 - 9537937 E-mail: info@heinemann-ent.de Web: www.heinemann-ent.de

